

PVC MARBLE SHEET

INTERIOR DECOR · WALL PANEL · MOULDING



COMPANY INTRODUCTION

Shandong Aowei New Material Co., Ltd. specializes in the production of WPC Wall Panel, PVC Marble Sheet and other indoor and outdoor decorative materials. It currently has more than 50 advanced calendering production lines and more than 10 years of production experience. Its products meet CMA environmental protection standards and fire protection standards.

Our factory focuses on every step of production, from raw materials to finished products, using advanced fully automated procedures and a strict quality ontrol system to ensure that every product is a perfect industrial work of art. At the same time, we are committed to producing unique environmentally friendly, durable, convenient and easy-to-clean decorative materials for customers, constantly innovating and developing, striving to be at the forefront of the industry, always keeping up with the industry trend and leading the industry direction.



QUALITY INSPECTION REPORT


















CERTIFICATE OF COMPETENCE









PVC MARBLE SHEET

PRODUCT FEATURES



WATER PROOF:

The product is completely moisture-proof and waterproof and can be used on bathroom walls or kitchen walls.



FIREPROOF:

The product is fire-proof and flame-retardant, ensuring and reducing fire safety in daily life.



GOOD FLEXIBILITY:

The product contains PVC and is very flexible. It can be used perfectly even if the wall has a slight curvature.



EASY TO INSTALL:

The product size is 1220*2800*3MM and the weight is 21kg. It can be easily installed by only two people during installation.



HIGH FLATNESS:

The product has high flatness and fits perfectly against the wall after installation



HIGH QUALITY UV PAINT:

We use high-quality UV paint, The surface of the product is smooth, fine and flawless with high gloss.





05—AOWEI·PVC—06



- 1&4.Puttying and leveling
- O 2. Apply structural adhesive on the back
- O 3. Metal profile connection
- 5.Rough wall



- 1.Apply structural adhesive on the back
- O 2.Metal profile connection
- O 3. Puttying and leveling

Notes on corner installation


- 1. Measure the flatness of the wall and ensure that the flatness of the wall is -+ not more than 2mm
- 2. Ensure that the wall is clean and dust-free
- 3. Use structural glue on the back of the product to install it on the wall. Metal accessories can be used as connections



Apply structural adhesive on the back

NORMAL COLOR.

















AWLG COLOR.


















AW23 DESIGN COLOR.




















AWZX PVC FILM DESIGN.

















AH24 PVC FILM DESIGN







AW24 PVC FILM DESIGN.


















ROUGH MARBLE SURFACE.


















AWAD-3D COLOR.









